

KAPLAN & GILMAN, L.L.P. COUNSELORS AT LAW

900 ROUTE 9 NORTH
WOODBIDGE, NEW JERSEY 07095
TELEPHONE (732) 634-7634
FACSIMILE (732) 634-6887
WWW.KAPLANGILMAN.COM

MICHAEL R. GILMAN*
JEFFREY I. KAPLAN
TIMOTHY X. GIBSON
MATTHEW B. DERNIER

PATENT AGENT
LI ZHENG**

*ADMITTED NY & CT ONLY
**ADMITTED CHINA ONLY

FACSIMILE COVER SHEET

CONFIDENTIALITY NOTICE: The information contained in this facsimile message, along with any attachments hereto, is privileged and confidential, intended only for the use of the individual or entity named below. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution or copy of this telecopy, including its attachments, is strictly prohibited. If you have received this telecopy in error, please immediately notify us by telephone and return the original message and attachments to us at the address listed above via the United States Postal Service. We will reimburse for postage on all such returned messages.

TO: Office of Initial Patent Examination's Filing Receipt Corrections

COMPANY: United States Patent and Trademark Office

FAX NO.: 703 746-9195

FROM: Timothy X. Gibson, Esq.

We are sending a communication of 3 page(s) (including this cover sheet). Please call (732) 734-7634 immediately if transmission is interrupted or of poor quality.

OUR REF: 436/12

DATE: June 3, 2004

MESSAGE:

Please see attached Request for Corrected Filing Receipt.

Attorney Docket No.: 436/12

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:
Somenath Mitra et al.

Group Art Unit: 1711

Application No.: 10/735,989

Examiner: Not Yet Assigned

Filing Date: December 15, 2003

For: Micromachined Heaters For Microfluidic
Devices

Office of Initial Patent Examination's
Filing Receipt Corrections
Commissioner of Patents
P.O. Box 1450
Alexandria, VA 22313-1450

REQUEST FOR CORRECTED FILING RECEIPT

Sir:

Kindly issue a new Filing Receipt regarding the above-identified patent application making the following corrections:

Under the heading "Domestic Priority data as claimed by applicant," the application number should read --60/433,184 12/13/2002--.

A copy of the Filing Receipt with the changes noted is attached hereto. Thank you for your attention to this matter.

Dated: June 3, 2004

Respectfully submitted,

By 

Timothy X. Gibson
Registration No.: 40,618
KAPLAN & GILMAN, L.L.P.
900 Route 9 North, Suite 104
Woodbridge, New Jersey 07095
(732) 634-7634
Attorneys for Applicant

P:\Office\UWojtkowski\Patent Forms\Request for corrected filing receipts.doc

I hereby certify that this correspondence is being faxed to 703 746-9195, addressed to the Office of Initial Patent Examination's Filing Receipt Corrections, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the date shown below.

Dated: June 3, 2004

Signature: 

Print Name: Ute H. Wojtkowski



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPL NO.	FILING OR 371 (c) DATE	ART UNIT	FIL FEE REC'D	ATTY. DOCKET NO	DRAWINGS	TOT CLMS	IND CLMS
10/735,989	12/15/2003	1711	450	436/12	13	20	3

27538
KAPLAN & GILMAN, L.L.P.
900 ROUTE 9 NORTH
WOODBIDGE, NJ 07095

CONFIRMATION NO. 4147

UPDATED FILING RECEIPT

OC000000012744918

Date Mailed: 05/21/2004

Receipt is acknowledged of this regular Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Filing Receipt Corrections, facsimile number 703-746-9195. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

Applicant(s)

Somenath Mitra, Bridgewater, NJ;
Durgamadhab Misra, Basking Ridge, NJ;

Domestic Priority data as claimed by applicant 60/433,184 12/13/2002
This appln claims benefit of 60/443,104 01/29/2003
(*Data provided by applicant is not consistent with PTO records.

Foreign Applications

If Required, Foreign Filing License Granted: 03/24/2004

Projected Publication Date: 09/02/2004

Non-Publication Request: No

Early Publication Request: No

** SMALL ENTITY **

Title

Micromachined heaters for microfluidic devices

